### PRODUCT DATA SHEET | PRODUCT CODE: SE685

## PRATT COMBINATION SHOWER WITH EYE & FACE WASH, No Bowl & No Foot Treadle

#### COMPLIANCE

All PRATT emergency showers, and eye wash stations are designed and manufactured in an ISO 9001 accredited facility, with full conformance to both AS4775 and ANSI Z358.1 standard.

**AEROSTREAM** technology delivers a gentle cascade of soft flow water to flush away any hazardous materials from the eyes and face.

**SWIRLTECH** technology delivers a precise pattern and controlled flow rate of a large volume of flushing fluid, ensuring optimum decontamination when its needed most

**FCR/FCA** all showers & eyewashes come standard with Flow Control Regulators and/or Flow Control Adjuster. The shower FCR assists for simultaneous flow between the shower and eyewash to ensure minimum flow outputs are not compromised. The eyewash incorporates our FCA, allowing for the fine tuning of flow output.

#### FEATURES

- Shower stanchion and fittings are 304SS
- ABS Chemical/Impact Resistant Shower Head
- No Bowl
- Hand Operated via Push Handle and Pull Rod
- ABS Eye/Face Wash Nozzle Assembly

#### **OPTIONAL ACCESSORIES**

- Emergency Shower and/or Eyewash Signs
- Alarm Kits
- Lighting
- Thermal Insulation
- Anti-Scald & Anti-Freeze Valves
- 304SS Shower Head
- Shower Test Kit

Custom Modification where applicable




#### PARAMOUNT SAFETY PRODUCTS AUSTRALIA 12 FELLOWSHIP ROAD, GNANGARA, WA 6077 TECH SUPPORT: 1300 133 226 CUSTOMER SERVICE: 1300 133 226 EMAIL: INFO@PRATTSAFETY.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND 7 SIR WOOLF FISHER DRIVE, HIGHBROOK, EAST TAMAKI, AUCKLAND 2013 TECH SUPPORT: 0800 888 778 CUSTOMER SERVICE: 0800 888 778 EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PRATTSAFETY.COM Paramountsafety.com



### PRATT COMBINATION SHOWER WITH EYE & FACE WASH, No Bowl & No Foot Treadle



TECHNICAL INFORMATION	
INLET CONNECTION	25mm BSPM
WATER SUPPLY-LINE SIZE	25mm *Must be hydraulically sized to meet requirements.
MINIMUM PERFORMANCE REQUIREMENTS	210kPa / 30PSI *Caution should be taken when pressure exceeds 550 kPa
FLOW OUTPUT (AT MIN PERFORMANCE REQUIREMENT)	Shower 80 LPM Eye Wash 15 LPM Eye-Face Wash 30 LPM
WEIGHT(KG)	122 X 19 X 37
DIMENSIONS(CM)	18

Installation of emergency showers, eye and eye/face wash equipment shall be in accordance with AS/NZS4775 or ANSI Standard Z358.1 - whichever is applicable to the installation. PRATT Safety advises due to ongoing research and development, specifications may change without notice.

PARAMOUNT SAFETY PRODUCTS AUSTRALIA 12 FELLOWSHIP ROAD, GNANGARA, WA 6077 TECH SUPPORT: 1300 133 226 CUSTOMER SERVICE: 1300 133 226 EMAIL: INFO@PRATTSAFETY.COM PARAMOUNT SAFETY PRODUCTS NEW ZEALAND 7 SIR WOOLF FISHER DRIVE, HIGHBROOK, EAST TAMAKI, AUCKLAND 2013 TECH SUPPORT: 0800 888 778 CUSTOMER SERVICE: 0800 888 778 EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ


PRATTSAFETY.COM Paramountsafety.com



# **SPARE PARTS**

1	570027	PRATT EYE & FACE WASH NOZZLE YELLOW ABS PLASTIC SUITS ALL ELITE EYEWASH	
1A	570029	PRATT DUST CAP ABS PLASTIC TO SUIT EYE & FACE WASH NOZZLE	
1B	570030	PRATT SS304 SCREWS PACK OF 6 TO SUIT EYE & FACE WASH NOZZLE	
1C	570031	PRATT AERATOR SUITS ALL EYE & FACE WASH INC. WASHER	
1D	570032	PRATT 304 STAINLESS STEEL RING SUITS EYE & FACE WASH AERATOR	
2	570003	PRATT EYEWASH NOZZLE ASSEMBLY S/STEEL WITH RUBBER EYECUP SUITS ALL ELITE EYEWASH	
2A 3B	570018	PRATT AERATOR SUITS ALL ELITE AND ECONOMY EYEWASH	
2B	570017	PRATT RUBBER EYEWASH CUP WITH YELLOW DUST CAP SUITS ALL ELITE EYEWASH	
2C	570028	PRATT 304 STAINLESS STEEL RING SUITS EYEWASH AERATOR	
3	570004	PRATT EYEWASH NOZZLE ASSEMBLY S/STEEL WITH YELLOW DUST CAP SUITS SE693 AND FTL EYEWASH	فم (6) .
3A	570023	PRATT YELLOW DUST CAPS PLASTIC SUITS SE693 AND FTL EYEWASH	lo A
4	570006	PRATT S/STEEL EYEWASH BOWL SUITS ALL ELITE EYEWASH	\$
5	570010	PRATT S/STEEL PUSH HANDLE FOR 570012 S/STEEL BALL VALVE SUITS ALL ELITE EYEWASH	\$ \$
		PRATT 15MM S/STEEL BALL VALVE FOR 570010 S/STEEL PLISH HANDLE	8





#### PARAMOUNT SAFETY PRODUCTS AUSTRALIA 12 FELLOWSHIP ROAD, GNANGARA, WA 6077 TECH SUPPORT: 1300 133 226 CUSTOMER SERVICE: 1300 133 226 EMAIL: INFO@PRATTSAFETY.COM

PARAMOUNT SAFETY PRODUCTS NEW ZEALAND 7 SIR WOOLF FISHER DRIVE, HIGHBROOK, EAST TAMAKI, AUCKLAND 2013 TECH SUPPORT: 0800 888 778 CUSTOMER SERVICE: 0800 888 778 EMAIL: INFO@PARAMOUNTSAFETY.CO.NZ

PRATTSAFETY.COM PARAMOUNTSAFETY.COM

